

BACTERIA TESTING

Microbiology Department
Brigham Young University
775 WIDB
P.O. Box 25253
Provo, Utah 84602-5253

May 13, 1999

American Silver's Antibacterial Product (ASAP Solution) Testing Results Summary

The following results suggest that American Silver's ASAP solution is a broad spectrum antimicrobial agent—it is able to effectively stop the growth of, and in fact kill, a variety of bacteria.

American Silver's ASAP Silver Supplement has been tested against the following organisms.

Staphylococcus aureus (Pneumonia, eye infections, skin infections (boils, impetigo, cellulitis, and post-operative wound infections), toxic shock syndrome, meningitis, food poisoning, osteomyelitis, and many others) inhibited @ 2.5 ppm and killed @ 5 ppm. 1/22/99 BYU Report:

Shigella boydii (Bacillary dysentery—characterized by severe cramping abdominal pain and bloody diarrhea) inhibited @ 1.25 ppm and killed @ 2.5 ppm. 1/22/99 BYU Report.

Salmonella arizona (Food poisoning, etc.) inhibited @ 2.5 ppm and killed @ 5 ppm. 1/28/99 BYU Report.

Salmonella typhimurium (Food poisoning and enteric fever) inhibited and killed at a concentration of 2.5 ppm. 6/7/99 BYU Report.

E. coli (Food poisoning, urinary tract infections, traveler's diarrhea, diarrhea in infants, respiratory tract infections, and wound infections) inhibited and killed @ 2.5 ppm. 1/22/99 BYU Report.

Haemophilus influenzae (Otitis media (ear infection), pneumonia, meningitis, throat and sinus infections (including epiglottitis in children and sinusitis), and suppurative arthritis in children) inhibited and killed @ 1.25 ppm. 1/22/99 BYU Report.

Enterobacter aerogenes (wound infections, urinary tract infections, bacteremia, and meningitis) inhibited and killed at a concentration of 2.5 ppm. 6/7/99 BYU Report.

Enterobacter cloacae (causes illnesses similar to the E. aerogenes) inhibited and killed at a concentration of 5 ppm. 6/7/99 BYU Report.

Klebsiella pneumoniae (lower respiratory tract infections, nosocomial infections (infections spread in hospitals), urinary tract and wound infections, and bacteremia) inhibited and killed @ 2.5 ppm. 1/28/99 BYU Report.

Klebsiella oxytoca (Similar to those infections caused by K. pneumoniae) inhibited and killed at a concentration of 2.5 ppm. 6/7/99 BYU Report.

Pseudomonas aeruginosa (severe burn and wound infections, keratitis, pneumonia, meningitis, nosocomial infections, urinary tract infections, etc.) inhibited @ 2.5 ppm and killed @ 5 ppm. 1/22/99 BYU Report.

Streptococcus pneumoniae (pneumonia, meningitis, sinusitis, otitis media (ear infection) inhibited @ 2.5 ppm and killed @ 5 ppm. 4/21/99 BYU Report.

Streptococcus pyogenes (skin infections, upper respiratory infections (i.e. strep throat) impetigo, hospital-acquired infections, scarlet fever, etc.) inhibited and killed @ 1.25 ppm. 1/22/99 BYU Report.

Streptococcus faecalis (Urinary tract infections, endocarditis, wound infections, etc.) inhibited @ 2.5 ppm and killed @ 5 ppm. 1/22/99 BYU Report.\

Streptococcus mutans (A major cause dental plaque and tooth decay etc.) inhibited and killed @ 5 ppm. 2/3/99 BYU Report.

Streptococcus gordonii (Tooth decay, also implicated in infective endocarditis-an infection of the heart valves) inhibited and killed @ 5 ppm. BYU Report 2/12/99.\

David A. Revelli
Microbiologist
Brigham Young University
Dr. Ron W. Leavitt, Ph.D.
Professor of Microbiology/Molecular Biology

Brigham Young University